

# Mercedes-Benz Arocs 2663 6x4 Euro 6 Trekker with PTO NEW AND UNUSED!



ID number	<b>45129</b>
1st registration	<b>12-02-2025</b>
Mileage	<b>656</b>
Year	<b>2025</b>
Chassis number	<b>W1T96442510659901</b>
Fuel	<b>Diesel</b>
Euro norm	<b>Euro 6</b>
Engine power	<b>625hp / 460kw</b>
Transmission	<b>Automatic</b>

**€139.500**

## Accessoires

- Airconditioning
- Air suspension rear
- Anti-lock braking system
- Cruise control
- EBS
- Electrically operated windows
- Euro 6
- Heater
- PTO
- Refrigerator
- Roof hatch
- Visor

## Comments

- New and unused Mercedes-Benz Arocs 2663 tractor unit with PTO
- Fixed Jost Saucer
- Saucer height: 121 cm
- GCW: 68 tonnes
- Engine: OM473, 6-cylinder, 15.6L, 460 kW (625 hp), 3000 Nm
- Engine PTO
- Turbocompound technology for extra efficiency
- HPB (High Performance Engine Brake)
- Double-plate clutch
- Mercedes PowerShift 3, 12-speed transmission
- Predictive Powertrain Control (fuel-saving driving mode)
- Stabiliser on front axle
- AdBlue tank: 60L (left)
- Fuel tank: 290L aluminium (left)
- Saucer height: raised, H = 50 mm
- EBS (Electronic braking system with ABS & ASR)
- Front and rear disc brakes
- Electronic parking brake
- Active Brake Assist 5 (emergency braking system)
- Track assistant & traffic sign recognition
- ESP (Electronic Stability Control)
- Tachograph (digital 2nd generation, ADR-approved)
- Cab: L-cab ClassicSpace (2.30 m wide, flat floor)
- Cab suspension: Comfort, steel suspension
- Compressed air connection in the cab
- Driver's seat: sprung, comfort version with leather trim
- Passenger seat: Velour, with armrests on both sides
- Comfort bed (lower), drawers under bed
- Roof hatch/ventilation flap for extra ventilation
- Automatic air conditioning & extra hot water heating
- Sunblinds on driver and passenger sides

- Electrically heated and adjustable mirrors
- Multimedia cockpit, interactive with navigation system
- Fleet Management System (FMS) preparation
- Remote Online & Truck Data Center 7
- Fog lamps with LED daytime running lights
- Flashing light preparation
- Main mirror with shunting position on co-driver's side
- Mirror caps especially for construction vehicles
- Aluminium underride guard (ECE-approved)
- Side marker lamps, flashing
- Extended doors & fixed entry left/right
- Bumper corner in steel, centre bumper with towing eyelets
- 24 V socket (15 A) at passenger compartment
- Trailer socket (24 V, 15 pin)
- Condensation sensor for compressed air system
- Steering gear oil cooling
- FleetBoard Manager app preparation

General

Dimensions	710 x 255 x 380
Overall condition	Excellent
Technical condition	Excellent
Optical condition	Excellent

Chassis

Own weight (kg)	9164
Loading capacity (kg)	16836
GVW (kg)	26000
Wheelbase (kg)	340

Powertrain

Transmission	Automatic
Cylinder capacity (cc)	15569
Engine power (pk)	625
Engine power (kw)	460

Axle configuration (6x4)

Tire size	1	1	1
Profile Left/Right	100	100	100
Suspension	Leaf	Air	Air
Maximum axle load	7500	9500	9500
Reduction	-	Single	Single
Axle lift	✗	✗	✗
Steering	✓	✗	✗
Powered	✗	✓	✓

All prices are excluding VAT

All specifications are subject to change. The given mileage, sizes, weights and other specifications are not legally binding