

# Mercedes-Benz Arocs 2663 6x4 Euro 6 Trekker with PTO NEW AND UNUSED!



ID number	45129
1st registration	12-02-2025
Mileage	656
Year	2025
Chassis number	W1T96442510659901
Fuel	Diesel
Euro norm	Euro 6
Engine power	625hp / 460kw
Transmission	Automatic

## €139.500

#### **Accessoires**

- Airconditioning
- Air suspension rear
- Anti-lock braking system
- Cruise control
- EBS
- Electrically operated windows
- Euro 6
- Heater
- PTO
- Refrigerator
- Roof hatch
- Visor

#### **Comments**

- New and unused Mercedes-Benz Arocs 2663 tractor unit with PTO
- Fixed Jost Saucer
- Saucer height: 121 cm
- GCW: 68 tonnes
- Engine: OM473, 6-cylinder, 15.6L, 460 kW (625 hp), 3000 Nm
- Engine PTO
- Turbocompound technology for extra efficiency
- HPB (High Performance Engine Brake)
- Double-plate clutch
- Mercedes PowerShift 3, 12-speed transmission
- Predictive Powertrain Control (fuel-saving driving mode)
- Stabiliser on front axle
- AdBlue tank: 60L (left)
- Fuel tank: 290L aluminium (left)
- Saucer height: raised, H = 50 mm
- EBS (Electronic braking system with ABS & amp; ASR)
- Front and rear disc brakes
- Electronic parking brake
- Active Brake Assist 5 (emergency braking system)
- Track assistant & amp; traffic sign recognition
- ESP (Electronic Stability Control)
- Tachograph (digital 2nd generation, ADR-approved)
- Cab: L-cab ClassicSpace (2.30 m wide, flat floor)
- Cab suspension: Comfort, steel suspension
- Compressed air connection in the cab
- Driver's seat: sprung, comfort version with leather trim
- Passenger seat: Velour, with armrests on both sides
- Comfort bed (lower), drawers under bed
- Roof hatch/ventilation flap for extra ventilation
- Automatic air conditioning & amp; extra hot water heating
- Sunblinds on driver and passenger sides



- Electrically heated and adjustable mirrors
- Multimedia cockpit, interactive with navigation system
- Fleet Management System (FMS) preparation
- Remote Online & Truck Data Center 7
- Fog lamps with LED daytime running lights
- Flashing light preparation
- Main mirror with shunting position on co-driver's side
- Mirror caps especially for construction vehicles
- Aluminium underride guard (ECE-approved)
- Side marker lamps, flashing
- Extended doors & amp; fixed entry left/right
- Bumper corner in steel, centre bumper with towing eyelets
- 24 V socket (15 A) at passenger compartment
- Trailer socket (24 V, 15 pin)
- Condensation sensor for compressed air system
- Steering gear oil cooling
- FleetBoard Manager app preparation



General		Chassis		Powertrain	
Dimensions	710 x 255 x 380	Own weight (kg)	9164	Transmission	Automatic
Overall condition	Excellent	Loading capacity (kg)	16836	Cylinder capacity (cc)	15569
Technical condition	Excellent	GVW (kg)	26000	Engine power (pk)	625
Optical condition	Excellent	Wheelbase (kg)	340	Engine power (kw)	460

### Axle configuration (6x4)

Tire size	1	1	1	
Profile Left/Right	100	100	100	
Suspension	Leaf	Air	Air	
Maximum axle load	7500	9500	9500	
Reduction	-	Single	Single	
Axle lift	×	×	×	
Steering	✓	*	<b>x</b>	
Powered	×	·		